



INDUSTRIAL GAS

ISO CONTAINERS

Move more molecules with Worthington's multi-purpose, configurable ISO containers for cryogenic bulk liquids – Nitrogen, Oxygen, Argon, Hydrogen, Carbon Dioxide & Liquefied Natural Gas

Robust designs meet stringent off-shore safety and operations requirements

- Can be stacked 7-high, loaded, with no stress over 60% of allowable stress
- Valves auto-shut off when cabinet doors close to prevent unsafe use
- Emergency push buttons at 4 corners, designed for operating conditions away from a pneumatic air feed

Multi-purpose product offering

- Fill, Delivery, and Pressure Build options to suit any operation
 - Rear end fill option (side fill standard)
 - Front end delivery option (side delivery standard)
- Well-integrated gas delivery options for any application
 - Integrated offload pump for high flow or simple pressure building circuit for low flow
 - Optimize space with modular/boxed vaporizers that can be end-mounted or even-mounted below the ISO container
 - Dual, automatic switching ambient vaporizers for continuous duty applications
- Goose neck trailer attachment lowers the center of gravity to provide safer, more efficient transport
- Stainless steel outer vessel and weight-reduced models available for sensitive applications



Gross Capacity (gal)	11,500
Net Capacity (gal)	11,000
Pressure (psi)	103 Absolute 87 MAWP
Tare Weight (lbs)	27,500 (25,750 for lightweight model)
Loaded Weight w/LNG (lbs)	80,000 (77,500 for lightweight model)
Standard vaporizer Flow Rates (gal/min)	Up to 50
Offload vaporizer Flow Rates (gal/min)	Up to 175
Hold Time and NER	90 day hold time, 0.3% evaporation per day
Certifications	DOT, TC, ISO 1496-3, ASME Sec VIII, Div.1., CSC, ADR, RID, IMDG

Ask us about pending certifications of our 20' LIN/LOX/LAR/LNG ISO container